

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	360	726/22.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/12 13:43
L2	153	l1 and @ad<"20010726"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/12 13:51
L3	101	726/24.ccls. and @ad<"20010726"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/12 13:51
S1	3142	713/201.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/15 08:17
S2	0	opened adj share and "20010726"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/14 18:26
S3	2	"6073239".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/15 08:23
S4	2430	network and security and virus and ad<"20010726"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/15 09:03
S5	5	kuo.in. and chengi.in.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/26 17:28

S6	12	muttik.in. and igor.in.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/26 17:30
S7	2	S6 and @ad<"20010726"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/15 08:39
S8	0	gryaznov.in. and omitry.in. and @ad<"20010726"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/15 08:41
S11	52	networks adj associates adj technology.asn. and @ad<"20010726"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2004/12/15 08:48
S12	1144	S4 and (virtual or emulate\$2)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/15 09:04
S13	541	S12 and @ad<"20010726"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/15 09:04
S14	3142	713/201.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/15 11:12
S15	1820	S14 and @ad<"20010726"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/15 11:12

S16	71	S15 and security and virus and (virtual or emulate)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/15 11:22
S17	2655	713/200.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/15 11:22
S18	139	713/188.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/15 11:24
S19	98	S18 and @ad<"20010726"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/15 11:24
S20	2	"6269447".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/15 15:18
S21	0	S20 and (lex\$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/15 15:19
S22	0	S20 and polymorphic	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/15 15:19
S23	622	virus and (security or protection) and network and (virtual or emulate) and @ad<"20010726"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/15 15:39

S24	312	S23 and parameter	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/15 15:40
S25	262	S24 and list	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/15 15:41
S26	161	S25 and list same program\$2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/15 15:42
S27	102	S26 not hoffman.in.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/15 15:54
S29	2700	security and access same list and (virtual or emulate) and network and @ad<"20010726"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/15 15:55
S30	260	S29 and virus	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/15 15:55
S31	2	"20020073323".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/16 08:49
S32	0	S31 and gateway	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/16 08:50

S33	2	"6775780".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/16 08:50
S34	0	S33 and gateway	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/16 08:50
S35	2	"20020099944".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/16 16:50
S36	3	bradley.in. and bowlin.in.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/14 17:33
S37	2	S36 and random\$2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/14 17:33
S38	4	temporarily near log\$4 near off and @ad<"20010726"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/14 18:11
S39	4210	log\$4 near off and @ad<"20010726"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/14 18:12
S40	64	S39 and virus	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/14 18:15

S41	0	S39 and log\$4 near on	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/14 18:15
S42	10	coordinated adj attack and @ad<"20010726"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/15 08:32
S43	5	S42 and log\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/15 08:49
S44	0	log\$4 adj on and @ad<"20010726"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/15 09:05
S45	0	suspend\$3 near mode same virus and @ad<"20010726"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/15 08:57
S46	15	suspend\$3 near mode and virus and @ad<"20010726"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/15 08:57
S47	0	log\$4 near on and @ad<"20010726"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/15 09:05
S49	0	(logs or logging) near on and @ad<"20010726"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/15 09:06

S50	639	(logs or logging) near in and @ad<"20010726"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/15 09:07
S51	2	S50 and virus	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/15 09:07
S52	5803	713/201.ccls. or 713/200.ccls. or 713/188.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/15 14:27
S53	85	S52 and @ad<"20010726" and @pd>"20041215"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/15 14:28
S54	19	S53 and (virus\$2 or viral or malicious)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/15 14:28
S55	2	"20020099944".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/14 14:19
S56	1	S55 and random\$2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/14 14:43
S57	961	random\$3 near2 select\$3 with (file\$2 or program\$2) and @ad<"20010726"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/14 14:46

S58	2	random\$3 near2 select\$3 near2 (file\$2 or program\$2) with (protect\$2 or safe) and @ad<"20010726"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/14 15:19
S59	330	random\$3 near2 select\$3 near2 (file\$2 or program\$2) and @ad<"20010726"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/14 15:19
S60	175	random\$3 with (file\$2 or program\$2) with (protect\$3 or safe\$3 or safeguards) and @ad<"20010726"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/14 15:20
S61	1934	random\$3 with (file\$2 or program\$2) with (protect\$3 or select\$2 or mark\$2 or safeguard\$2) and @ad<"20010726"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/14 15:21
S62	619	random\$3 near (protect\$3 or select\$2 or mark\$2 or safeguard\$2) with (file\$2 or program\$2) and @ad<"20010726"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/14 15:24
S63	59	S62 and ("713"/\$.ccls. or "380"/\$.ccls.)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/14 15:23
S64	22	random\$3 near (protect\$3 or select\$2 or mark\$2 or safeguard\$2) with (file\$2 or program\$2) and (virus\$2 or viral) and @ad<"20010726"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/14 15:43
S65	21020477	random\$2 with (file\$2 or program\$2) and (virus\$2 or viral) @ad<"20010726"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/14 15:46

S66	152	random\$2 with select\$3 same (file\$2 or program\$2) and (virus\$2 or viral) and @ad<"20010726"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/14 15:46
S67	92	random\$2 near2 select\$3 same (file\$2 or program\$2) and (virus\$2 or viral) and @ad<"20010726"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/14 15:47
S68	0	random\$2 near2 (select\$3 or mark\$3 or designat\$3) with (protect\$3 or secure) same (file\$2 or program\$2) and (virus\$2 or viral) and @ad<"20010726"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/14 15:49
S69	26	random\$2 near2 (select\$3 or mark\$3 or designat\$3) with (file\$2 or program\$2) and (virus\$2 or viral) and @ad<"20010726"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/14 15:54
S70	1048	random\$2 near2 (select\$3 or mark\$3 or designat\$3) with (file\$2 or program\$2) and @ad<"20010726"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/14 15:55
S71	454	random\$2 near2 (select\$3 or mark\$3 or designat\$3) near3 (file\$2 or program\$2) and @ad<"20010726"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/14 15:56
S72	3	random\$2 near2 (select\$3 or mark\$3 or designat\$3) near3 (file\$2 or program\$2) with (protect\$3) and @ad<"20010726"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/14 15:57
S73	13	random\$2 near2 (select\$3 or mark\$3 or designat\$3) near3 (file\$2 or program\$2) with (mode or zone) and @ad<"20010726"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/14 16:11

S74	18	random\$2 near2 (select\$3 or mark\$3 or designat\$3) near3 share\$2 and @ad<"20010726"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/14 16:19
S75	120	random\$2 with share\$2 near (file\$2 or program\$2 or resource\$2) and @ad<"20010726"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/14 16:24
S76	8	randomly with share\$2 near (file\$2 or program\$2 or resource\$2) and @ad<"20010726"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/14 16:58
S77	30	(random\$2 not random adj access) with share\$2 near (file\$2 or program\$2 or resource\$2) and @ad<"20010726"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/14 16:27
S78	57	(random\$2 not random adj access) with (share\$2 or protect\$2) near (file\$2 or program\$2 or resource\$2) and @ad<"20010726"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/14 16:29
S79	27	S78 not S77	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/14 16:28
S80	2	"5495533".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/14 16:36
S81	23	"6647400".pn. "6189032".pn. "5235641".pn. "5969632".pn. "6249866".pn. "4183085".pn. "5584023".pn. "5933826".pn. "6658415".pn. "6449643".pn. "5919257".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/14 16:54

S82	2	S81 and (random\$2 not random adj access)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/14 16:42
S83	8	(random\$2 not random adj access) adj (select or selects) with share\$2 and @ad<"20010726"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/14 16:47
S84	14	(random\$2 not random adj access) adj (select or selects) with (protect\$2 or hid\$3) and @ad<"20010726"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/14 16:49
S85	136	(random\$2 not random adj access) same prevent\$3 with attack\$2 and @ad<"20010726"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/14 16:50
S86	43	(random\$2 not random adj (access or number)) same prevent\$3 with attack\$2 and @ad<"20010726"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/14 16:50
S87	1	S77 and arbitrarily	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/14 16:55
S88	0	S55 and arbitrar\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/14 16:55
S89	11	arbitrarily with share\$2 near (file\$2 or program\$2 or resource\$2) and @ad<"20010726"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/14 17:00

S90	9	(arbitrarily or randomly) near (select\$3 or choose\$2 or assign\$3) with (share\$2 or protect\$2) near2 (file\$2 or program\$2 or resource\$2) and @ad<"20010726"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/14 17:02
S91	6	(arbitrar\$2 or (random\$2 not random adj access)) with (select\$3 or choose\$2 or assign\$3) with (share\$2 or protect\$2) near2 (file\$2 or program\$2 or resource\$2) and @ad<"20010726" not S90	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/14 17:05
S92	4	(arbitrar\$2 or (random\$2 not random adj access)) with (select\$3 or choose\$2 or assign\$3 or designat\$3 or mark\$3) with (share\$2 or protect\$2) near2 (file\$2 or program\$2 or resource\$2) and @ad<"20010726" not S90 not S91	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/14 17:06
S93	87	(random\$2 or arbitrar\$3) same prevent\$3 near detection and @ad<"20010726"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/14 17:28
S94	52	(random\$2 or arbitrar\$3) with prevent\$3 near detection and @ad<"20010726"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/14 17:29
S95	19	((random\$2 not random adj (number or access)) or arbitrar\$3) with prevent\$3 near detection and @ad<"20010726"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/14 17:30
S96	1088	((random\$2 not random adj (number or access)) or arbitrar\$3) near (select\$3 or choos\$3 or pick\$3 or designat\$3) with detect\$3 and @ad<"20010726"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/14 17:33
S97	24	((random\$2 not random adj (number or access)) or arbitrar\$3) near (select\$3 or choos\$3 or pick\$3 or designat\$3) with (file\$2 or program\$2 or resource\$2) with detect\$3 and @ad<"20010726"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/14 17:34

S98	46	((random\$2 not random adj (number or access)) or arbitrar\$3) near (select\$3 or choos\$3 or pick\$3 or designat\$3) same (prevent\$3 or hard\$2) with detect\$3 and @ad<"20010726"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/14 18:01
S99	12	"5361359".pn. "5826268".pn. "5903720".pn. "6092201".pn. "6412070".pn. "6470450".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/14 18:03
S100	5	S99 and (random\$2 or arbitrar\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/14 18:03
S101	3	bradley.in. and allen.in. and bowlin.in.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/15 09:15
S102	2	"5903720".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/15 09:17
S103	1	S102 and (random\$2 or arbitrar\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/15 09:17
S104	2	"20020073323".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/15 09:22
S105	0	"6775780".pn. and (random\$2 or arbitrar\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/15 09:24

S10 6	961	random\$3 near2 select\$3 with (file\$2 or program\$2) and @ad<"20010726"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/15 09:25
S10 7	22	S106 and virus	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/15 09:25
S10 8	8	random\$3 near2 select\$3 with (file\$2 or program\$2) with (share\$2 or protect\$2) and @ad<"20010726"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/15 09:43
S10 9	982	virtual\$3 near share\$2 and @ad<"20010726"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/15 09:44
S11 0	141	virtual\$3 near share\$2 with (file\$2 or program\$2) and @ad<"20010726"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/15 09:53
S11 1	0	virtual\$3 near share\$2 near mode with (file\$2 or program\$2) and @ad<"20010726"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/15 09:45
S11 2	103	(user\$2 or client\$2) near random\$2 near2 (complet\$3 or select\$2) and @ad<"20010726"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/15 09:54
S11 3	28	(user\$2 or client\$2) near4 random\$2 near2 (complet\$3 or select\$2 or choos\$3 or mark\$3) with (screen or form\$2) and @ad<"20010726"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/15 09:55

S11 4	12	(user\$2 or client\$2) near4 (random\$2 not random adj (number or access)) near2 (complet\$3 or select\$2 or choos\$3 or mark\$3) with (screen or form\$2) and @ad<"20010726"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/15 09:57
S11 5	237	(user\$2 or client\$2) near4 randomly adj (complet\$3 or select\$2 or choos\$3 or mark\$3) and @ad<"20010726"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/15 09:58
S11 6	2	(user\$2 or client\$2) near4 randomly adj (complet\$3 or select\$2 or choos\$3 or mark\$3) near2 (file\$2 or program\$2) and @ad<"20010726"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/15 09:59
S11 7	7	(user\$2 or client\$2) near4 randomly adj (complet\$3 or select\$2 or choos\$3 or mark\$3 or set\$2 or pick\$2 or designat\$3 or allow\$2 or protect\$2) near2 (file\$2 or program\$2 or data) and @ad<"20010726"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/15 10:03
S11 8	250	(user\$2 or client\$2) near4 randomly with (file\$2 or program\$2 or data) and @ad<"20010726"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/15 10:03
S11 9	30	(user\$2 or client\$2) near4 arbitrarily adj (complet\$3 or select\$2 or choos\$3 or mark\$3 or set\$2 or pick\$2 or designat\$3 or allow\$2 or protect\$2) near2 (file\$2 or program\$2 or data) and @ad<"20010726"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/15 10:17
S12 0	0	(user\$2 or client\$2) near2 (arbitrarily or randomly) adj set\$2 with permission\$ and @ad<"20010726"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/15 10:18
S12 1	0	(user\$2 or client\$2) near2 (arbitrarily or randomly) adj set\$2 with privileges and @ad<"20010726"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/15 10:18

S12 2	8	(user\$2 or client\$2) near2 (arbitrarily or randomly) adj select\$2 with access and @ad<"20010726"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/15 10:20
S12 3	0	(user\$2 or client\$2) with (arbitrarily or randomly) with access near (permission\$2 or privilege\$2) and @ad<"20010726"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/15 10:21
S12 4	11	(user\$2 or client\$2) with (arbitrarily or randomly) with (permission\$2 or privilege\$2) and @ad<"20010726"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/15 10:50
S12 5	1	"6457022".pn. and network	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/15 10:50
S12 6	0	detect\$3 with virus with log\$3 near off and @ad<"20010726"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/15 11:01
S12 7	0	detect\$3 with virus same log\$3 near off and @ad<"20010726"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/15 11:01
S12 8	2	virus same log\$3 near off and @ad<"20010726"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/15 11:02
S13 0	0	log\$4 near off same log\$4 near on and @ad<"20010726"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/15 11:03

S13 1	0	log\$4 near on and @ad<"20010726"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/15 11:03
S13 2	0	logs near on and @ad<"20010726"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/15 11:04
S13 3	741	logs near off and @ad<"20010726"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/15 11:04
S13 4	4245	log\$4 near off and @ad<"20010726"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/15 11:04
S13 5	134	log\$4 near off same (hacker\$2 or security) and @ad<"20010726"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/15 11:05
S13 6	142	log\$4 near off same (hacker\$2 or security or malicious or virus) and @ad<"20010726"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/15 11:05
S13 7	165	log\$4 near off same (hacker\$2 or security or malicious or virus or intruder or unauthoriz\$3) and @ad<"20010726"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/15 11:07
S13 8	82	log\$4 with on	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/15 11:07

S13 9	104	log\$4 near off same (hacker\$2 or security or malicious or virus or intruder or unauthoriz\$3) and (relog\$4 or re-log\$4 or (log\$4 with in)) and @ad<"20010726"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/15 11:18
S14 0	12	log\$4 near off same (hacker\$2 or security or malicious or virus or intruder or unauthoriz\$3) and (relog\$4 or re-log\$4 or (log\$4 with back with in)) and @ad<"20010726"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/15 11:11
S14 1	92	S139 not S140	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/15 11:11
S14 2	32	log\$4 near off same (hacker\$2 or (security with (breach\$2 or threat\$2)) or malicious or virus or intruder or unauthoriz\$3) and (relog\$4 or re-log\$4 or (log\$4 with in)) and @ad<"20010726" not S140	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/15 12:17
S14 3	20	virus with record\$3 with time and @ad<"20010726" not S140	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/15 12:18
S14 4	20	virus with record\$3 with time and @ad<"20010726"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/15 12:20
S14 5	114	(breach\$2 or intrusion\$2) with record\$3 with time and @ad<"20010726"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/15 12:23
S14 6	4	(breach\$2 or intrusion\$2) with record\$3 with (time and source) and @ad<"20010726"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/15 12:32

S14 7	0	"5991881".pn. and log\$4 with off	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/15 12:33
S14 8	2	"5991881".pn. and log\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/15 12:33
S14 9	105	(713/200.ccls. 713/201.ccls. 713/188.ccls.) and @ad<"20010726" and @pd>"20050314"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/26 17:37
S15 0	2	"5522075".pn. and determin\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/30 10:07
S15 1	0	"200201942412".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/30 10:08
S15 2	2	"20020194212".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/30 10:08
S15 3	5708	log\$4 near2 back and @ad<"20010726"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/11 09:32
S15 4	0	log\$4 near2 back adj on and @ad<"20010726"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/11 09:31

S15 5	0	log\$4 near2 back adj "on" and @ad<"20010726"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/11 09:31
S15 6	994	(log or logs or logging) near2 back and @ad<"20010726"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/11 09:32
S15 7	59	(log or logs or logging) near2 back same (log or logs or logging) near2 off and @ad<"20010726"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/11 09:33
S15 8	0	(log or logs or logging) near2 back near (onto or on) same (log or logs or logging) near2 off and @ad<"20010726"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/11 09:33
S15 9	0	(log or logs or logging) near2 back near (onto or on) same (log or logs or logging) near2 off and @ad<"20010726"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/11 09:33
S16 0	0	(log or logs or logging) near2 back near2 (onto or on) same (log or logs or logging) near2 off and @ad<"20010726"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/11 09:33
S16 1	124	log\$4 with (secur\$3 or protect\$3) adj mode and @ad<"20010726"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/11 10:15
S16 2	5	(log or logs or logged or logging) with (secur\$3 or protect\$3) adj mode and @ad<"20010726"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/11 10:18

S16 3	71	(log or logs or logged or logging) near (on or off) with (secur\$3 or protect\$3) and @ad<"20010726"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/11 10:18
S16 4	102	(log or logs or logged or logging) near (on or off or onto or in) with (secur\$3 or protect\$3) and @ad<"20010726"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/11 10:19
S16 5	109	(log or logs or logged or logging) near (on or off or onto or in or back) with (secur\$3 or protect\$3) and @ad<"20010726"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/11 10:19
S16 6	1	(log or logs or logged or logging) near (on or off or onto or in or back) with (secur\$3 or protect\$3) near mode and @ad<"20010726"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/11 10:19
S16 7	94	((coordinat\$3 near2 attack\$2) or (attack near2 (multiple or plurality) near computer\$2)) and @ad<"20010726"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/26 16:15
S16 8	2	((coordinat\$3 near2 attack\$2) or (attack near2 (multiple or plurality) near computer\$2)) same (log or logs or logged or logging) and @ad<"20010726"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/26 16:18
S16 9	26	random\$3 with prevent\$3 with virtual\$3 and @ad<"20010726"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/26 16:18
S17 0	5	kuo.in. and chengi.in.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/26 17:28

S17 1	15	muttik.in. and igor.in.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/26 17:35
S17 2	10	dmitry.in. and gryaznov.in.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/26 17:35
S17 3	40	(713/200.ccls. 713/201.ccls. 713/188.ccls.) and @ad<"20010726" and @pd>"20050615"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/26 17:37